

WHAT IS CLAIMED IS:

1. A method of securely connecting a plurality of client computers to computer resources in a shared computer system, comprising:

5 associating each of said plurality of client computers with at least one virtual private network connection, wherein said plurality of client computers are remotely connected to at least one virtual private network termination device in said shared computer system, and wherein said at least one virtual private network connection is
10 established by said at least one virtual private network termination device;

15 associating said at least one virtual private network connections with a plurality of virtual local area networks; and

associating at least one of said computer resources in said shared computer system with each of said plurality of virtual local area networks.

2. The method of claim 1, wherein each of said at least one virtual private network connections is uniquely associated with one of said plurality of virtual local area networks, so that a one to one
5 correspondence exists between said at least one virtual private network connection and said plurality of virtual local area networks.

3. The method of claim 1, wherein a plurality of said at least one virtual private network connections is uniquely associated with one of said plurality of virtual local area networks.

4. The method of claim 1, further comprising a configuration engine in said shared computer system configuring at least one virtual local area network switch to establish said plurality of virtual local area networks.
5
5. The method of claim 1, further comprising a configuration engine in said shared computer system configuring said at least one virtual private network termination device to establish said at least one virtual private network connection.
5
6. The method of claim 4, further comprising said configuration engine reading computer requirements from at least one client.
7. The method of claim 6, further comprising said configuration engine calculating an optimum allocation of said plurality of computer resources to meet said computer requirements of said at least one client.
5
8. The method of claim 4, further comprising said configuration engine configuring said at least one virtual local area network switch to connect at least two of said plurality of client computers to a same one of said plurality of virtual local area networks.
5
9. The method of claim 1, wherein at least one of said plurality of client computers is connected to said shared computer system across a dedicated line.

10. The method of claim 1, wherein at least one of said plurality of client computers is connected to said shared computer system across the Internet.
11. The method of claim 10, wherein at least one of said plurality of client computers is connected to said shared computer system with a modem.
12. The method of claim 10, wherein at least one of said plurality of client computers is connected to said shared computer system with a broadband connection.
13. The method of claim 1, said shared computer system further comprising computer readable program code for authenticating client computer identification, said method further comprising executing said computer readable program code to authenticate client computer identification before associating each of said plurality of client computers with at least one virtual private network connection.
14. The method of claim 1, said shared computer system further comprising at least one firewall, said method further comprising configuring said at least one firewall to accept data from each of said plurality of client computers.
15. The method of claim 14, further comprising a configuration engine in said shared computer system configuring said at least one firewall to accept data from each of said plurality of client computers.

16. A secure computer system, comprising:

a plurality of computer resources;

at least one virtual local area network switch
electrically connected to said plurality of computer
resources;

at least one virtual private network
termination device electrically connected to said at
least one virtual local area network switch, wherein
said at least one virtual local area network switch
is configurable to changeably connect a plurality of
virtual private network connections in said at least
one virtual private network termination device to at
least one of said plurality of computer resources
while isolating said plurality of virtual private
network connections from one another; and

a configuration engine electrically connected
to said at least one virtual local area network
switch, said configuration engine comprising
computer readable program code for configuring said
at least one virtual local area network switch to
changeably connect each of said plurality of virtual
private network connections to at least one of said
plurality of computer resources while isolating said
plurality of virtual private network connections
from one another.

17. The secure computer system of claim 16, wherein said
computer readable program code in said configuration
engine further comprises code for a graphical user
interface to manually configure said virtual local
area network switch.

18. The secure computer system of claim 16, wherein said computer readable program code in said configuration engine further comprises code for automatically configuring said virtual local area network switch.
19. The secure computer system of claim 16, wherein said computer readable program code in said configuration engine further comprises code for reading client computer requirements across said plurality of virtual private network connections.
20. The secure computer system of claim 16, further comprising at least one firewall connected to said plurality of virtual private network connections.
21. The secure computer system of claim 16, further comprising computer readable program code for authenticating identification of client computers connected to said plurality of virtual private network connections.
22. A secure computer system, comprising:
a plurality of computer resources;
means for securely connecting each of a plurality of client computers to a portion of said plurality of computer resources while isolating said portion of said plurality of computer resources from a second portion of said plurality of computer resources.